

GENOMA


Spannbuchse WNV.200, nicht selbstzentrierend

- Stahl
- Sehr kurz bauend. Kostengünstig.
- Drehmomentbereich: 255 - 68000 Nm
- Bearbeitungstoleranzen : Welle h8, Nabe H8
- größere Durchmesser auf Anfrage

Produktbild:



Zeichnung:



Produktoptionen:

dxD	T [Nm]	L	L1	L2	Pw [N/mm ²]	Pn [N/mm ²]	n	DIN912	TA [Nm]	kg	Bestell- Nr.
19x47	255	28	17	20	220	90	8	M6x18	14	0,24	WNV.2 00-19x47
20x47	270	28	17	20	210	90	8	M6x18	14	0,23	WNV.2 00-20x47
22x47	300	28	17	20	195	90	8	M6x18	14	0,23	WNV.2 00-22x47

dxD	T [Nm]	L	L1	L2	Pw [N/mm ²]	Pn [N/mm ²]	n	DIN912	TA [Nm]	kg	Bestell- Nr.
24x50	360	28	17	20	195	95	9	M6x18	14	0,26	WNV.2 00-24x50
25x50	380	28	17	20	190	95	9	M6x18	14	0,25	WNV.2 00-25x50
28x55	500	28	17	20	187	96	10	M6x18	14	0,3	WNV.2 00-28x55
30x55	530	28	17	20	176	96	10	M6x18	14	0,29	WNV.2 00-30x55
32x60	630	28	17	20	192	105	12	M6x18	14	0,34	WNV.2 00-32x60
35x60	700	28	17	20	180	105	12	M6x18	14	0,32	WNV.2 00-35x60
38x65	860	28	17	20	183	107	14	M6x18	14	0,34	WNV.2 00-38x65
40x65	910	28	17	20	180	110	14	M6x18	14	0,34	WNV.2 00-40x65
42x75	1500	34	20	24	226	125	12	M8x22	35	0,6	WNV.2 00-42x75
45x75	1610	34	20	24	210	125	12	M8x22	35	0,57	WNV.2 00-45x75
48x80	1700	34	20	24	196	115	12	M8x22	35	0,6	WNV.2 00-48x80
50x80	1770	34	20	24	190	115	12	M8x22	35	0,6	WNV.2 00-50x80
55x85	2270	34	20	24	200	130	14	M8x22	35	0,63	WNV.2 00-55x85
60x90	2470	34	20	24	180	120	14	M8x22	35	0,69	WNV.2 00-60x90
65x95	3040	34	20	24	190	130	16	M8x22	35	0,73	WNV.2 00-65x95
70x110	4600	40	24	28	210	13	14	M10x25	70	1,26	WNV.2 00-70x110
140x190	10900	52	34	38	165	125	22	M12x30	125	3,85	WNV.2 00-140x190
75x115	4900	40	24	28	195	125	14	M10x25	70	1,33	WNV.2 00-75x115
80x120	5200	40	24	28	180	120	14	M10x25	70	1,4	WNV.2 00-80x120
85x125	6300	40	24	28	195	130	16	M10x25	70	1,49	WNV.2 00-85x125
90x130	6600	40	24	28	180	125	16	M10x25	70	1,53	WNV.2 00-90x130
95x135	9600	40	24	28	195	135	14	M12x30	125	1,62	WNV.2 00-95x135
100x145	10200	47	26	33	200	133	14	M12x30	125	2,01	WNV.2 00-100x145

dxD	T [Nm]	L	L1	L2	Pw [N/mm ²]	Pn [N/mm ²]	n	DIN912	TA [Nm]	kg	Bestell- Nr.
110x155	10500	47	26	33	180	125	14	M12x30	125	2,15	WNV.2 00-110x1 55
120x165	13100	47	26	33	185	135	16	M12x30	125	2,35	WNV.2 00-120x1 65
130x180	17600	52	34	38	165	115	20	M12x30	125	3,51	WNV.2 00-130x1 80
150x200	24200	52	34	38	170	125	24	M12x30	125	4,07	WNV.2 00-150x2 00
160x210	28000	52	34	38	170	130	26	M12x30	125	4,3	WNV.2 00-160x2 10
170x225	32800	60	38	44	160	120	22	M14x40	190	5,78	WNV.2 00-170x2 25
180x235	37800	60	38	44	165	125	24	M14x40	190	6,05	WNV.2 00-180x2 35
190x250	46500	68	46	52	150	115	28	M14x45	190	8,25	WNV.2 00-190x2 50
200x260	52500	68	46	52	150	115	30	M14x45	190	8,65	WNV.2 00-200x2 60
220x285	68000	74	50	56	150	115	26	M16x50	295	11,22	WNV.2 00-220x2 85