

GENOMA

Stiftschraube

- Automatenstahl 45 S 20
- Zugfestigkeit 800 N/mm²
- Gewinde gschnitten
- brüniert
- Niro siehe Serie 801

Produktbild:



Zeichnung:



Produktoptionen:

Gewinde	L	L2	L1	Gewicht (g)	Bestell-Nr.
M 4	25	7	13	3	265-2004x25
M 4	30	7	13	3	265-2004x30
M 4	35	7	13	5	265-2004x35
M 4	40	7	20	6	265-2004x40
M 4	45	7	20	6	265-2004x45
M 4	50	7	20	7	265-2004x50
M 5	25	8	13	3	265-2005x25

Gewinde	L	L2	L1	Gewicht (g)	Bestell-Nr.
M 5	30	8	13	5	265-2005x30
M 5	35	8	13	5	265-2005x35
M 6	45	10	25	9	265-201x45
M 5	40	8	20	5	265-2005x40
M 5	50	8	20	5	265-2005x50
M 6	100	10	40	20	265-201x100
M 6	125	10	40	25	265-201x125
M 6	150	10	40	30	265-201x150
M 6	25	10	12	4	265-201x25
M 6	30	10	13	5	265-201x30
M 6	35	10	13	5	265-201x35
M 6	40	10	25	7	265-201x40
M 6	50	10	25	10	265-201x50
M 6	60	10	25	12	265-201x60
M 6	70	10	25	15	265-201x70
M 6	80	10	40	16	265-201x80
M 6	90	10	40	17	265-201x90
M 8	100	13	40	35	265-202x100
M 8	125	13	40	45	265-202x125
M 8	150	13	40	55	265-202x150
M 8	175	13	40	65	265-202x175
M 8	200	13	40	75	265-202x200
M 8	40	13	24	11	265-202x40
M 8	50	13	30	16	265-202x50
M 8	60	13	30	20	265-202x60
M 8	70	13	30	24	265-202x70
M 8	80	13	40	28	265-202x80
M 8	90	13	40	30	265-202x90
M10	100	15	40	53	265-203x100
M10	125	15	40	70	265-203x125
M10	150	15	40	85	265-203x150
M10	175	15	40	100	265-203x175
M10	200	15	40	110	265-203x200
M10	40	15	20	18	265-203x40
M10	50	15	30	22	265-203x50
M10	60	15	30	30	265-203x60
M10	70	15	30	32	265-203x70
M10	80	15	40	37	265-203x80
M10	90	15	40	50	265-203x90
M12	100	19	65	85	265-204x100
M12	125	19	65	106	265-204x125
M12	150	19	65	125	265-204x150
M12	175	19	65	135	265-204x175
M12	200	19	65	160	265-204x200
M12	225	19	65	185	265-204x225
M12	250	19	65	205	265-204x250
M12	275	19	65	225	265-204x275
M12	300	19	65	250	265-204x300
M12	50	19	28	39	265-204x50
M12	60	19	38	45	265-204x60
M12	70	19	40	59	265-204x70
M12	80	19	40	68	265-204x80
M12	90	19	40	85	265-204x90
M14	100	21	65	102	265-205x100
M14	125	21	65	127	265-205x125
M14	150	21	65	152	265-205x150

Gewinde	L	L2	L1	Gewicht (g)	Bestell-Nr.
M14	175	21	65	190	265-205x175
M14	200	21	65	215	265-205x200
M14	250	21	65	280	265-205x250
M14	300	21	65	300	265-205x300
M14	60	21	36	60	265-205x60
M14	70	21	40	70	265-205x70
M14	80	21	40	81	265-205x80
M14	90	21	40	95	265-205x90
M16	100	24	65	134	265-206x100
M16	125	24	65	173	265-206x125
M16	150	24	65	206	265-206x150
M16	175	24	65	250	265-206x175
M16	200	24	65	290	265-206x200
M16	225	24	65	325	265-206x225
M16	250	24	65	365	265-206x250
M16	275	24	65	405	265-206x275
M16	300	24	65	445	265-206x300
M16	70	24	43	100	265-206x70
M16	75	24	45	106	265-206x75
M16	80	24	45	125	265-206x80
M16	90	24	45	135	265-206x90
M20	100	30	65	203	265-207x100
M20	125	30	65	261	265-207x125
M20	150	30	65	318	265-207x150
M20	175	30	65	375	265-207x175
M20	200	30	65	455	265-207x200
M20	225	30	65	510	265-207x225
M20	250	30	65	575	265-207x250
M20	275	30	65	630	265-207x275
M20	300	30	65	690	265-207x300
M20	90	30	50	190	265-207x90
M24	100	38	59	295	265-208x100
M24	125	38	65	375	265-208x125
M24	150	38	65	460	265-208x150
M24	175	38	65	550	265-208x175
M24	200	38	65	590	265-208x200
M24	225	38	65	660	265-208x225
M24	250	38	65	750	265-208x250
M24	300	38	65	990	265-208x300